

# Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

										M	HC	
	VIN/chassis in 7  A  9		2  5	0	1  8	ВМ	2	0	2	3	1  0	17
Make DOMETT	Component	being ce	rtified:	)	Cha	ssis	J		J	))   	oad and	chorag
Model (optional) 2021 E2501 H	Log bols	sters			Tow	ing cor	nnectio	on			Brakes	
Certification category HVS2	X SRT				PSV	stabili	ty			JF	PSV rolle	over
Description of work	Swept p	ath		-	PBS							
CERTIFY SRT - 5 AXLE FULI	L TRAIL	LER		TOTAL COLUMN						~~~		
Code/standard/rule certified to NZTA RULE 41001:2016		.(			oad rati							
	1226	ne 57	LO			X2 = PE: U				DE	NSI	ΓΥ
Supporting documents SRT COMPLIANCE CERT # S1  Special conditions (optional) AS ABOVE	1226	ne 57	LO							DE	ENST	ΓΥ
Supporting documents SRT COMPLIANCE CERT # S1  Special conditions (optional) AS ABOVE			LO	AD		PE: U	JNII	FO	RIV	DE	ENST	ΓΥ
Supporting documents SRT COMPLIANCE CERT # S1  Special conditions (optional) AS ABOVE		or H	LO	AD	TYF	PE: U	JNII	FO	RM	IDE	ENST	ΓΥ
Supporting documents SRT COMPLIANCE CERT # S1  Special conditions (optional) AS ABOVE  Certification expiry date (if applicable)  The undersigned, declare that I am the heavy vehicle special conditions (applicable)  The undersigned and I hold a current valid appointmentify that the above mentioned vehicle component's	pecialist itment. I	or H	LO May ubodo esigne	AD meter	TYF	PE: U	JNII	FO	RM	IDE	ENST	ΓΥ
Supporting documents SRT COMPLIANCE CERT # S1  Special conditions (optional) AS ABOVE  Certification expiry date (if applicable)  The undersigned, declare that I am the heavy vehicle synspector identified and I hold a current valid appointmentify that the above mentioned vehicle component's manufacture and installation, and this certification on all respects with the Land Transport Rule: Vehicle St Compliance 2002 and my appointment. To the best	pecialist trent. I s design, complies tandards t of my	or H	ubodoi esigne	AD meter	readin	PE: U	ever con	FO	RM		D num	
Supporting documents SRT COMPLIANCE CERT # S1  Special conditions (optional) AS ABOVE  Certification expiry date (if applicable)	pecialist trent. I s design, complies tandards t of my	or H	ubodon esigne	AD  meter	readin	PE: U	ever con	FO	RIV	M		ber

All fields are mandatory unless otherwise stated.

New Zealand Government

Form ID

LT400

Version No. 05/18

# Static Roll Threshold Compliance Certificate

Name of vehicle owner:

**OTL Group Ltd** 

Address:

**SRT Compliance Certificate no:** 

S1226

Vehicle Identification No.(VIN):

7A9E25018M2023107

Vehicle chassis No:

2107

**Current vehicle registration:** 

Type of vehicle:

**Full-Trailer** 

No of axles in front set:

2

No of axles in rear set:

3

Deck length of vehicle:

10.09 metres

Maximum height of load or vehicle body:

4.30 metres **User Defined** 

Front suspension type: Rear suspension type:

**User Defined** 

I, Matthew Connolly of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density

Description: Assumes load mass is centred midway vertically

between load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.35g This vehicle meets or exceeds the minimum SRT target of 0.35g.

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 35 tonnes; Y2 = 35 tonnes / X2 = 4.3 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

## Summary Input Data used for calculation.

### Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
1	19.5	Dual
2	19.5	Dual
3	19.5	Dual
4	19.5	Dual
5	19.5	Dual

#### **Body Style is Standard**

#### Mass and Suspension Data:

Inputs	Front	Rear	
Gross mass (kg):	16000	19000	
Payload mass (kg):	13080	15680	
Tare mass (kg):	2920	3320	
Average load bed height (m):	1.05		
Average load height (m):	4.3	30	
Suspension type:	User Defined	User Defined	
Suspension track width (m):	0.98	0.98	
Lash (mm):	104	104	
Suspension brand/model:	ROR CS9 - LOW MOUNT	ROR CS9 - LOW MOUNT	
Roll stiffness/axle (Nm/radian):	2197000	2197000	
Spring stiffness/spring (N/m):	128000	128000	
Roll centre height from axle (m):	0.035	0.035	

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: Momoth

Name: Matthew Connolly

Vehicle Inspector/Inspecting Organisation No MHC

Date: 6/9/2021

SRT Compliance Certificate no:

S1226