

Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist ins INDERJEET S		ng inspe	ecting org	anisati	ion's nan	ne (PRIN	TING	APS)		a consumer successive	ID		IS	Н	
Plate number (optional)		7	A 9		er 2 0	0	1	2 M	2	0	2	3	11	3	17
Make DOM	ETT	Co	mponent	being	certified)	ll Chassis	-				Lo	ad and	chorag
Model (optional) 2021 E2001 PH		Log bolsters					Towing connection					Brakes			
Certification category HVS2		X	X SRT PSV st. Swept path PBS			SV stabili	ability				V roll	rollover			
		_				PBS									
Description of work CERTIFY SR	Γ - 5 AXLE FU	JLL	TRAI	LEF	8		nar volund						**************************************		
						COURT COURT	West of the								
Code/standard/rule certifier NZTA RULE 4			Ì					rating(s) 0m / \	/1 =	= 2	9t				
General drawing number(s)								/ X2 =				1.0450100		onaecunsen-p	
						JAL	, ı	YPE:	OIN	IFC	יואנ	VI L		IVOI	II
Supporting documents SRT COMPLIA	NCE CERT#	S12	67			Large	occapios		ononomes	mossoom	**********	M00170750	manuscen		поможнимам
Special conditions (optional) AS ABOVE						14 CUC 12 MM	2000224	חוצלה הפר קיים האים בד							
Certification expiry date (if a	pplicable)		Amazinto	or	Hubod	lomete	er rea	nding (which	never co	omes fi	rst)	And a second			
Declaration					Design	ner's IC) (if d	fferent from i	nspecto	or belov	w)				
I the undersigned, declare the inspector identified and I had certify that the above mention manufacture and installation in all respects with the Land Compliance 2002 and my a knowledge the information and correct.	old a current valid appoi oned vehicle componer n, and this certification I Transport Rule: Vehicle ppointment. To the bes	ntment. nt's desi complie e Standa t of my	gn, es ards		Inspec IN Date	derj ctor's n	leeg ame RJE	PRINTING EET SI	APS) NG	iH lumb		J		umber S F	1
CoF vehicle inspector ID	(ii applicable)	CoFv	zehicle in	specto	r signatu	ire (if ap	pijent oplicat	ole)	Date						

All fields are mandatory unless otherwise stated.

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

AS WILCOX & SONS LTD

Address:

SRT Compliance Certificate no:

S1267

Vehicle Identification No.(VIN):

7A9E20012M2023137

Vehicle chassis No:

2137

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

Deck length of vehicle:

11.71 metres

Maximum height of load or vehicle body:

4.30 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Inderjeet Singh of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density

Description: Assumes load mass is centred midway vertically between load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.33g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if: At maximum load height of 4.3 metres, the maximum allowable gross mass is 29.6 tonnes. (a)

At maximum gross mass of 35 tonnes, the maximum allowable load height is 4 metres. The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)	
35	4	
34	4.05	
33	4.1	
32	4.15	
31	4.2	
30	4.26	
29	4.3	

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading	
X1 = 4.3 metres / Y1 = 29 tonnes; $Y2 = 35 tonnes / X2 = 4 metres$.	ᅱ

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:		
1	19.5	Dual		
2	19.5	Dual		
3	19.5	Dual		
4	19.5	Dual		
5	19.5	Dual		

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear				
Gross mass (kg):	16000	19000				
Payload mass (kg):	12940	15160				
Tare mass (kg):	3060	3840				
Average load bed height (m):	1.078					
Average load height (m):	4.30					
Suspension type:	User Defined	User Defined				
Suspension track width (m):	.940	.940				
Lash (mm):	90	90				
Suspension brand/model:	SAF Intradisc IU28/2005RZ-68A	SAF Intradisc IU28/2005RZ-68A				
Roll stiffness/axle (Nm/radian):	1200000	1200000				
Spring stiffness/spring (N/m):	470000	470000				
Roll centre height from axle (m):	0.05	0.05				

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: Inderject Sinch

Name: Inderjeet Singh

Vehicle Inspector/Inspecting Organisation No ISH

Date: 14/3/2022

SRT Compliance Certificate no:

S1267

Print the Certificate

Finish