

Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

			NT IN CAPS)			ID	CNH	
Plate number (optional)	VIN/chassis num	ber 2 0 0	3 3	N 2	0	2	B 2	0 6
Make DOMETT	Component bein	ng certified:	Chass				Load	anchorage
Model (optional) 2022 C2003 PH	Log bolsters		Towin	ng connec	tion		Brake	!S
Certification category HVS2	X SRT		PSV s	tability			PSV	ollover
Description of work CERTIFY SRT - 3 AXLE S	SEMI TRAILE	₹						
Code/standard/rule certified to NZTA RULE 41001:2016		Component X1 = 4	load rating	g(s) / Y1 =	= 17	t		
General drawing number(s)			19t / X TYPE				DENS	ITY
Supporting documents SRT COMPLIANCE CERT:	# S1289							
	7 01200							
Special conditions (optional) AS ABOVE								
AS ABOVE	or	Hubodomete	er reading ((whichever co	omes firs	t)		
Special conditions (optional) AS ABOVE Certification expiry date (if applicable)	or	Hubodomete	er reading	(whichever co	omes firs	t)		
AS ABOVE	or	Hubodomete Designer's ID						
AS ABOVE Certification expiry date (if applicable) Declaration I the undersigned, declare that I am the heavy ve inspector identified and I hold a current valid apport certify that the above mentioned vehicle components.	nicle specialist ointment. I ent's design,	Designer's ID	(if different)					
Certification expiry date (if applicable) Declaration I the undersigned, declare that I am the heavy ve inspector identified and I hold a current valid apport that the above mentioned vehicle comport manufacture and installation, and this certification in all respects with the Land Transport Rule: Vehi Compliance 2002 and my appointment. To the be	nicle specialist ointment. I ent's design, in complies cle Standards est of my	Designer's ID Inspector's si Inspector's no) (if different)	from inspector	or below)		ID numb Ç N I	er H
AS ABOVE Certification expiry date (if applicable)	nicle specialist ointment. I ent's design, in complies cle Standards est of my	Designer's ID Inspector's si Inspector's no	ignature ame (PRINT	from inspector TIN CAPS) HARRI	or below)		G N 1	

New Zealand Government

Form ID LT400

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Singh Carriers Ltd

Address:

SRT Compliance Certificate no:

S1289

Vehicle Identification No.(VIN):

7A9C20033N2023206

Vehicle chassis No:

2206

Current vehicle registration:

Type of vehicle:

Semi-Trailer

No of axles in front set:

0

No of axles in rear set:

3

Deck length of vehicle:

8.23 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

none

Rear suspension type:

User Defined

I, Cameron Harris of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 19 tonnes, the SRT is 0.34g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

- (a) At maximum load height of 4.3 metres, the maximum allowable gross mass is 17.9 tonnes.
- or (b) At maximum gross mass of 19 tonnes, the maximum allowable load height is 4.22 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)
19	4.22
18	4.29
17	4.3

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading	
X1 = 4.3 metres / Y1 = 17 tonnes; $Y2 = 19 tonnes / X2 = 4.22 metres$.	

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
` 1	19.5	Dual
2	19.5	Dual
3	19.5	Dual

Body Style is Standard

Mass and Suspension Data:

Inputs	Rear		
Gross mass (kg):	19000		
Payload mass (kg):	15720		
Tare mass (kg):	3280		
Average load bed height (m):	1.22		
Average load height (m):	4.3		
Suspension type:	User Defined		
Suspension track width (m):	0.994		
Lash (mm):	0		
Suspension brand/model:	Hendrickson AANL ZMD		
Roll stiffness/axle (Nm/radian):	1824776		
Spring stiffness/spring (N/m):	350000		
Roll centre height from axle (m):	0.115		

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: Che

Name: Cameron Harris

Vehicle Inspector/Inspecting Organisation No CNH

Date: 7/7/2022

SRT Compliance Certificate no:

S1289