

Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

CAMERON HARRIS	ig inspecting organisa	tion's name (PRINT	IN CAPS)		ID	CNH	
Plate number (optional)	VIN/chassis numl	per 2 0 0	1 0 N	120	2 β	2	1 8
Make DOMETT	Component being	g certified:	Chassis			Load	anchorag
Model (option 2022 E2001 PH	Log bolsters		Towing o	onnection		Brake	es.
Certification category HVS2	X SRT Swept path		PSV stab	oility		PSV	rollover
CERTIFY SRT - 5 AXLE FU	ILL TRAILEF	₹					
Code/standard/rule certified to NZTA RULE 41001:2016		Component le $X1 = 4$	oad rating(s .30m / 5t / X2				
General drawing number(s)			TYPE:			DENS	SITY
Supporting documents SRT COMPLIANCE CERT # Special conditions (optional) AS ABOVE	S1296						
						National Control	
Certification expiry date (if applicable)	or	Hubodometer	reading (wh	ichever comes	first)		
Certification expiry date (if applicable) Declaration	or	Hubodometer Designer's ID					
Declaration the undersigned, declare that I am the heavy vehice inspector identified and I hold a current valid appoint that the above mentioned vehicle component manufacture and installation, and this certification of	le specialist ntment. I t's design, complies	Designer's ID Inspector's sig	(if different from	n inspector bela		ID numl	per
Declaration the undersigned, declare that I am the heavy vehice inspector identified and I hold a current valid appoint certify that the above mentioned vehicle component manufacture and installation, and this certification on all respects with the Land Transport Rule: Vehicle Compliance 2002 and my appointment. To the best	le specialist ntment. I t's design, complies s Standards t of my	Designer's ID Inspector's sig	(if different from gnature me (PRINT IN RON HA	n inspector bela		ID numl	per H
	le specialist ntment. I t's design, complies s Standards t of my	Designer's ID Inspector's sig	(if different from gnature me (PRINT IN RON HA	n inspector bela	ow)	ID numl P N	<u> </u>

New Zealand Government Form ID LT400 Version No. 12/20

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

TR Group Ltd

Address:

SRT Compliance Certificate no:

S1296

Vehicle Identification No.(VIN):

7A9E20010N2023218

Vehicle chassis No:

2218

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

3

Deck length of vehicle:

11.3 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Cameron Harris of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.33g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

(a) At maximum load height of 4.3 metres, the maximum allowable gross mass is 30.4 tonnes.

or (b) At maximum gross mass of 35 tonnes, the maximum allowable load height is 4.04 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)	
35	4.04	
34	4.09	
33	4.15	
32	4.2	
31	4.26	
30	4.3	

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 30 tonnes; Y2 = 35 tonnes / X2 = 4.04 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
1	19.5	Dual
2	19.5	Dual
3	19.5	Dual
4	19.5	Dual
5	19.5	Dual

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	12500	14940
Tare mass (kg):	3500	4060
Average load bed height (m):	1.08	
Average load height (m):	4.3	
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.94	0.94
Lash (mm):	90	90
Suspension brand/model:	SAF IU28	SAF IU28
Roll stiffness/axle (Nm/radian):	1200000	1200000
Spring stiffness/spring (N/m):	470000	470000
Roll centre height from axle (m):	0.05	0.05

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed:

Name: Cameron Harris

Vehicle Inspector/Inspecting Organisation No CNH

Date: 5/8/2022

SRT Compliance Certificate no:

S1296