

# Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

	g inspecting organisa	tion's name (PRINT	IN CAPS)			ID	С	NH	
Plate number (optional)	VIN/chassis numb	0 0 0	1 0	N 2	0	2	3	2 2	11
Make DOMETT	Component being		Chassi	JJ _		J		Load an	chorag
Model (optional) 2022 E2001 H	Log bolsters			g connec	tion			Brakes	
Certification category HVS2	SRT Swept path		PSV st	ability				PSV rol	over
CERTIFY SRT - 5 AXLE FUL	L TRAILEF	?							
Code/standard/rule certified to NZTA RULE 41001:2016		Component lo X1 = 4							
General drawing number(s)		Y2 = 3					DE	NSI	ΓΥ
SUPPORTING documents SRT COMPLIANCE CERT # S	1302								
Special conditions (optional) AS ABOVE									
Special conditions (optional) AS ABOVE  Certification expiry date (if applicable)	or	Hubodometer	reading (	whichever co	omes fir	st)			
AS ABOVE	or	Hubodometer Designer's ID (							
Certification expiry date (if applicable)  Declaration  the undersigned, declare that I am the heavy vehicle inspector identified and I hold a current valid appointmentify that the above mentioned vehicle component's	specialist nent. I design,		if different fr						
Certification expiry date (if applicable)  Declaration  The undersigned, declare that I am the heavy vehicle inspector identified and I hold a current valid appointmentify that the above mentioned vehicle component's manufacture and installation, and this certification corn all respects with the Land Transport Rule: Vehicle St Compliance 2002 and my appointment. To the best of	specialist nent. I design, mplies tandards f my	Designer's ID (	if different fr	om inspecto	or below,		¢	number <b>N H</b>	
AS ABOVE  Certification expiry date (if applicable)	specialist nent. I design, mplies tandards f my	Designer's ID (	if different from the control of the	om inspecto	or below,	) er	φ_	725	

New Zealand Government

Form ID

LT400

Version No. 12/20

# **Static Roll Threshold Compliance Certificate**

Name of vehicle owner:

Hilton Haulage

Address:

SRT Compliance Certificate no:

S1302

Vehicle Identification No.(VIN):

7A9E20010N2023221

Vehicle chassis No:

2221

Current vehicle registration:

Type of vehicle:

**Full-Trailer** 

No of axles in front set:

2

No of axles in rear set:

3

Deck length of vehicle:

**11.25** metres

Maximum height of load or vehicle body:

4.25 metres

Front suspension type:

**User Defined** 

Rear suspension type:

User Defined

#### I, Cameron Harris of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.25 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.33g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

- (a) At maximum load height of 4.25 metres, the maximum allowable gross mass is 31 tonnes.
- or (b) At maximum gross mass of 35 tonnes, the maximum allowable load height is 4.03 metres. The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)
35	4.03
34	4.08
33	4.13
32	4.18
31	4.24
30	

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.25 metres / Y1 = 31 tonnes; Y2 = 35 tonnes / X2 = 4.03 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

## Summary Input Data used for calculation.

#### Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
1	19.5	Dual
2	19.5	Dual
3	19.5	Dual
4	19.5	Dual
5	19.5	Dual

## **Body Style is Standard**

#### Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	12580	15040
Tare mass (kg):	3420	3960
Average load bed height (m):	1.	08
Average load height (m):	4.25	
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.94	0.94
Lash (mm):	90	90
Suspension brand/model:	SAF IU28	SAF IU28
Roll stiffness/axle (Nm/radian):	1200000	1200000
Spring stiffness/spring (N/m):	470000	470000
Roll centre height from axle (m):	0.05	0.05

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed:

Vehicle Inspector/Inspecting Organisation No CNH

SRT Compliance Certificate no:

Name: Cameron Harris

Date: 17/10/2022

S1302