

Heavy vehicle specialist certificate

Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist inspector's or manufacturing inspecting organisation's name (PRINT IN CAPS) KYLE BOSSELMANN	inspecting organisation's name (PRINT IN CAPS)	KDB
Plate number (optional)	VIN/chassis number 7 A 9 E 2 0 0 1 8 P	2 0 2 3 2 5 8
Make DOMETT	Component being certified: Chassis	Load anchorage
Model (2023 E2001 PSH-33	polsters	Towing connection Brakes PSV stability PSV rollover
Certification category HVS2	Swept path PBS	
	TDAII ED	
CEXIITY XXI - 5 AXLE FULL IXAILEX	L TAILEX	
Code/standard/rule certified to NZTA RULE 41001:2016	Component load rating(s) $X1 = 4.30 \text{m} / Y1 = 33t$	Y1 = 33t
General drawing number(s)	Y2 = 35t / X2 = 4.22m LOAD TYPE: UNIFORM	= 4.22m UNIFORM DENSITY
Supporting documents SRT COMPLIANCE CERT # S1328	1328	
Special conditions (optional) AS ABOVE		
Certification expiry date (if applicable)	or Hubodometer reading (whichever comes first)	chever comes first)
Declaration	Designer's ID (if different from inspector below)	inspector below)
I the undersigned, declare that I am the heavy vehicle specialist inspector identified and I hold a current valid appointment. I certify that the above mentioned vehicle component's design,	specialist Inspector's signature nent. I	
manufacture and installation, and this certification complies in all respects with the Land Transport Rule: Vehicle Standards Compliance 2002 and my appointment. To the best of my Landards the information continued in the certificate in the continued in the certificate in the ce	nplies Inspector's name (PRINT IN CAPS) AND KYLE BOSSELMANN IS THE CONTROL OF THE PROPERTY OF	MANN K D B
and correct.	Date 27-02-2023	Number 856151
CoF vehicle inspector ID (if applicable)	CoF vehicle inspector signature (if applicable)	Date

LT400

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Booth's Transport

SRT Compliance Certificate no:

S1328

Vehicle Identification No.(VIN):

Vehicle chassis No:

7A9E20018P2023258

2258

Current vehicle registration:

Full-Trailer

No of axles in front set:

2

Type of vehicle:

No of axles in rear set:

w

Deck length of vehicle:

Maximum height of load or vehicle body:

12.450 metres

Front suspension type:

User Defined

4.3 metres

Rear suspension type:

User Defined

I, Kyle Bosselmann of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if: At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.34g

At maximum load height of 4.3 metres, the maximum allowable gross mass is 33.4 tonnes

At maximum gross mass of 35 tonnes, the maximum allowable load height is 4.22 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

33	34	35	Gross Mass (tonnes)
4.3	4.26	4.22	Load Height (m)

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 33 tonnes; Y2 = 35 tonnes / X2 = 4.22 metres

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

5	4	3	2		Axle
19.5	19.5	19.5	19.5	19.5	Tyre Size:
Dual	Dual	Dual	Dual	Dual	Tyre Configuration:

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	12820	15020
Tare mass (kg):	3180	3980
Average load bed height (m):	1.	1.07
Average load height (m):	4.3	33
Suspension type:	User Defined	User Defined
Suspension track width (m):	.994	.994
Lash (mm):	0	0
Suspension brand/model:	Intraxx AANL ZMD	Intraxx AANL ZMD
Roll stiffness/axle (Nm/radian):	1824776	1824776
Spring stiffness/spring (N/m):	350000	350000
Roll centre height from axle (m):	0.051	0.051

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: Whatsher-

Vehicle Inspector/Inspecting Organisation No KDB Dat

SRT Compliance Certificate no:

Date: 27/2/2023 S1328

Name: Kyle Bosselmann