

# Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist inspector's or manufacturing inspectin GERRIT VISAGIE	g organisa	tion's name (PR	INT IN CAPS)	nucleus de distribuir de la constantina della co	GV
Plate number (optional) VIN/ch. 7 A	assis numb	er  3  0 0	1 5 P	2 0	2  3  2  6  3
Make DOMETT	onent being	] _ ] _ ] _	Chassis		Load anchorage
Model (optional) 2023 E3001	g bolsters		Towing co	onnection	Brakes
Certification category HVS2	T vept path		PSV stab	ility	PSV rollover
Description of work  CERTIFY SRT - 5 AXLE FULL TR	RAILEF				
Code/standard/rule certified to NZTA RULE 41001:2016		120	t load rating(s, 4.30m /		į.
General drawing number(s)	1		35t / X2		n RM DENSITY
SRT COMPLIANCE CERT # S1346  Special conditions (optional) AS ABOVE					
Certification expiry date (if applicable)	or	Hubodome	ter reading (wh	ichever comes firs	t)
Declaration		Designer's	ID (if different from	ı inspector below)	-
I the undersigned, declare that I am the heavy vehicle specialist inspector identified and I hold a current valid appointment. I certify that the above mentioned vehicle component's design, manufacture and installation, and this certification complies in all respects with the Land Transport Rule: Vehicle Standards Compliance 2002 and my appointment. To the best of my knowledge the information contained in the certificate is true and correct.	t	Date	name (PRINT IN RIT VISA)	Number	G V 856169
CoF vehicle inspector ID (if applicable)  CoF vehic	cle inspect	or signature (if	applicable)	Date	

All fields are mandatory unless otherwise stated.

# **Static Roll Threshold Compliance Certificate**

Name of vehicle owner:

Riordan & West

Address:

SRT Compliance Certificate no:

S1346

Vehicle Identification No.(VIN):

7A9E30015P2023263

No of axles in rear set:

Vehicle chassis No:

2263

Current vehicle registration:

Type of vehicle:

**Full-Trailer** 

No of axles in front set:

3

Deck length of vehicle:

10 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

User Defined

Rear suspension type:

**User Defined** 

# I, Gerrit Visagie of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

Uniform density

2

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.32g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

- (a) At maximum load height of 4.3 metres, the maximum allowable gross mass is 28.6 tonnes.
- or (b) At maximum gross mass of 35 tonnes, the maximum allowable load height is 3.92 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)		
35	3.92		
34	3.97		
33	4.02		
32	4.08		
31	4.13		
30	4.19		
29	4.26		
28	4.3		

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 28 tonnes; Y2 = 35 tonnes / X2 = 3.92 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

# Summary Input Data used for calculation.

#### Tyre Data:

Axle	Tyre Size:	Tyre Configuration	
1	19.5	Dual	
2	19.5	Dual	
3	19.5	Dual	
4	19.5	Dual	
5	19.5	Dual	

# **Body Style is Standard**

# Mass and Suspension Data:

Inputs	Front	Rear	
Gross mass (kg):	16000	19000	
Payload mass (kg):	12380	14980	
Tare mass (kg):	3620	4020	
Average load bed height (m):	1.212		
Average load height (m):	4.3		
Suspension type:	User Defined	User Defined	
Suspension track width (m):	.940	.940	
Lash (mm):	90	90	
Suspension brand/model:	SAF Intradisk IU25/2000RZ-68A	SAF Intradisk IU25/2000RZ-68A	
Roll stiffness/axle (Nm/radian):	1200000	1200000	
Spring stiffness/spring (N/m):	470000	470000	
Roll centre height from axle (m):	0.05	0.05	

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed

Vehicle Inspector/Inspecting Organisation No GV

SRT Compliance Certificate no:

Name: Gerrit Visagie

Date: 10/5/2023

S1346