

Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

MATTHEW CONNOLLY													ľ	MΗ		
Vehicle registration (optional)		/chassi		er 11	5	0	1	9	М	2	0	2	3	0	7	1
Make DOMETT	Cor	mponer		g certi)	J	1	Chass	7	,			J	J -		horage
Model (optional) 2021 E1501 33		Log bo	lsters					Towin	g con	necti	on			Bra	ikes	
Certification category	X	SRT						PSV s	tabilit	y				PS	V rollo	over
HVS2		Swept	path					PBS								
CERTIFY SRT - 5 AXLE FU								***********								
Code/standard/rule certified to NZTA RULE 41001:2016					mpor X1			l rating		′1 =	: 3F	5 †				
General drawing number(s) Supporting documents SRT COMPLIANCE CERT # S	S119	95					35 ⁻	t/X	(2 =	4.	30r	n	1 D	EN	ISI	ΓΥ
General drawing number(s) Supporting documents	S119	95	or		LO	ΑΓ	35 ⁻	t / X	(2 = E: (: 4.: JNI	30r FO	n RM	11 D	EN	ISIT	ΓY
General drawing number(s) Supporting documents SRT COMPLIANCE CERT # S Special conditions (optional) AS ABOVE	S119	95	or		LO	ΑΓ	35 ⁻	t / X	(2 = E: (: 4.: JNI	30r FO	n RM	1 D	EN	JSIT	ΓΥ
General drawing number(s) Supporting documents SRT COMPLIANCE CERT # S Special conditions (optional) AS ABOVE	S119	95	or	Hub	LO podor	mete	35°	t / X	(2 = E: U	= 4.	30r FO	n RM	11 D	EN	JSIT	ΓY

All fields are mandatory unless otherwise stated.

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

D NCarter Ltd

Address:

SRT Compliance Certificate no:

S1195

Vehicle Identification No.(VIN):

7A9E15019M2023071

Vehicle chassis No:

2071

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

3

Deck length of vehicle:

12.25 metres

Maximum height of load or vehicle body:

4.30 metres **User Defined**

Front suspension type:

Rear suspension type:

User Defined

I, Matthew Connolly of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density

Description: Assumes load mass is centred midway vertically

between load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.35g This vehicle meets or exceeds the minimum SRT target of 0.35g.

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 35 tonnes; Y2 = 35 tonnes / X2 = 4.3 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
1	19.5	Dual
2	19.5	Dual
3	19.5	Dual
4	19.5	Dual
5	19.5	Dual

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear		
Gross mass (kg):	16000	19000		
Payload mass (kg):	12720	14800		
Tare mass (kg):	3280	4200		
Average load bed height (m):	1.06			
Average load height (m):	4.30			
Suspension type:	User Defined	User Defined		
Suspension track width (m):	0.98	0.98		
Lash (mm):	104	104		
Suspension brand/model:	ROR CS9 - LOW MOUNT	ROR CS9 - LOW MOUNT		
Roll stiffness/axle (Nm/radian):	2197000	2197000		
Spring stiffness/spring (N/m):	128000	128000		
Roll centre height from axle (m):	0.035	0.035		

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: Momolly

Vehicle Inspector/Inspecting Organisation No MHC

SRT Compliance Certificate no:

Name: Matthew Connolly

Date: 16/4/2021

S1195