

Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist inspector's or manufacturin GERRIT VISAGIE	ng inspe	cting org	anisati	on's nai	ne (PRIN	IT IN CAPS,				ID		G۷	/	
Plate number (optional)		/chassis		2 0	0	1 2	K P	2	0	2	3	2	7	6
Make DOMETT	Cor	nponent	being	certifie		-	assis	-				Loa	d and	horag
Model (optin 2023 E2001 PH33		Log bol	sters			Tov	ving co	nneci	ion			Bral	kes	
Certification category	X	SRT				PSV	/ stabi	lity				PSV	/ rollo	over
HVS2 Description of work	-	Swept p	oath			PBS	5							
Code/standard/rule certified to				Comp	onent	load rat	ing(s)							
Code/standard/rule certified to NZTA RULE 41001:2016	SACRIES, ASS.					1.30								
General drawing number(s)		1				35t / TYF					1 DE	ΞΝ	SIT	Υ
Supporting documents SRT COMPLIANCE CERT # S Special conditions (optional) AS ABOVE	S135	55								***************************************				
Certification expiry date (if applicable)			or	Huboo	lomete	r readir	ng (whic	hever co	omes fir	st)				
Declaration				Design	ner's ID	(if differe	ent from	inspecto	r below)				
I the undersigned, declare that I am the heavy vehicle inspector identified and I hold a current valid appoin certify that the above mentioned vehicle component manufacture and installation, and this certification on all respects with the Land Transport Rule: Vehicle Compliance 2002 and my appointment. To the best knowledge the information contained in the certifical and correct.	ntment. I t's desig complies Standar of my	n, ds		Inspec	tor's	gnature ame (PF IT VI	SAC		umbe		G 61	Y Y	**************************************	
		hicle ins												

All fields are mandatory unless otherwise stated.

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Booths Transport

Address:

SRT Compliance Certificate no:

S1355

Vehicle Identification No.(VIN):

7A9E2001XP2023276

Vehicle chassis No:

2276

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

3

Deck length of vehicle:

12.19 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Gerrit Visagie of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.34g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

- (a) At maximum load height of 4.3 metres, the maximum allowable gross mass is 33.5 tonnes.
- or (b) At maximum gross mass of 35 tonnes, the maximum allowable load height is 4.22 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m) 4.22		
35			
34	4.26		
33	4.3		

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading X1 = 4.3 metres / Y1 = 33 tonnes; Y2 = 35 tonnes / X2 = 4.22 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration: Dual Dual Dual		
1	19.5			
2	19.5			
3	19.5			
4	19.5	Dual		
5	19.5	Dual		

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear			
Gross mass (kg):	16000	19000			
Payload mass (kg):	12860	14940			
Tare mass (kg):	3140	4060			
Average load bed height (m):	1.070				
Average load height (m):	4.3				
Suspension type:	User Defined	User Defined			
Suspension track width (m):	.994	.994			
Lash (mm):	0	0			
Suspension brand/model:	Hendrickson Intraxx AANL ZMD	Hendrickson Intraxx AANL ZMD			
Roll stiffness/axle (Nm/radian):	1824776	1824776			
Spring stiffness/spring (N/m):	350000	350000			
Roll centre height from axle (m):	0.051	0.051			

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed:

Vehicle Inspector/Inspecting Organisation No GV

SRT Compliance Certificate no:

Name: Gerrit Visagie

Date: 21/6/2023

S1355