

Heavy vehicle specialist certificate

Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist inspector's or manufacturing inspecting organisation's name (PRINT IN CAPS) KYLE BOSSELMANN	inspecting organisation's nam	ne (PRINTIN CAPS)	KDB
Plate number (optional)	VIN/chassis number 7 A 9 E 2 0	0 1 1 P 2 0 2	3 3 1 3
Make DOMETT	Component being certified:	Chassis	Load anchorage
Model (aptions/2023 E2001 PH	Log bolsters	Towing connection	Brakes
Certification category HVS2	X SRT	PSV stability PBS	PSV rollover
Description of work CERTIFY SRT - 5 AXLE FULL TRAILER	LL TRAILER		
NZTA RULE 41001:2016	Compo X1	Component load rating(s) X1 = 4.30 m / Y1 = 35t Y2 = 35t / X2 = 4.30 m	
General drawing number(S)	10	LOAD TYPE: UNIFORM	/ DENSITY
SRT COMPLIANCE CERT # S1356	31356		
Special conditions (autional) AS ABOVE			
Certification expiry date (if applicable)	or Hubodo	Hubodometer reading (whichever comes first)	
Declaration	Design	Designer's ID (if different from inspector below)	
the undersigned, declare that I am the heavy vehicle specialist nspector identified and I hold a current valid appointment. I certify that the above mentioned vehicle component's design, manufacture and installation, and this certification complies nall respects with the Land Transport Rule: Vehicle Standards		Inspector's signature AUBANAN Inspector's name (PRINT IN CAPS)	ID number
knowledge the information contained in the certificate is true and correct.		Date 26-06-2023 Number 8 5	856180
CoF vehicle inspector ID (if applicable)	CoF vehicle inspector signature (if applicable)	e (if applicable)	

All fields are mandatory unless otherwise stated.

Static Roll Threshold Compliance Certificate

Fitchett Linehaul

Name of vehicle owner:

SRT Compliance Certificate no: S1356

Vehicle Identification No.(VIN): 7A9E20011P2023313

Vehicle chassis No:

2313

Current vehicle registration:

Type of vehicle: **Full-Trailer**

No of axles in front set: 2 No of axles in rear set:

w

Maximum height of load or vehicle body: Deck length of vehicle: 4.3 metres 10.23 metres

Front suspension type: User Defined

Rear suspension type: **User Defined**

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

I, Kyle Bosselmann of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

Using standard load type: Assumes load mass is centred midway vertically between

Description:

Uniform density

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.35g

This vehicle meets or exceeds the minimum SRT target of 0.35g.

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 35 tonnes; Y2 = 35 tonnes / X2 = 4.3 metres

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

5	4		2		Axle
19.5	19.5	19.5	19.5	19.5	Tyre Size:
Dual	Dual	Dual	Dual	Dual	Tyre Configuration:

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	12640	15000
Tare mass (kg):	3360	4000
Average load bed height (m):	1.075	75
Average load height (m):	4.3	
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.98	0.98
Lash (mm):	104	104
Suspension brand/model:	ROR CS9L	ROR CS9L
Roll stiffness/axle (Nm/radian):	2197000	2197000
Spring stiffness/spring (N/m):	128000	128000
Roll centre height from axle (m):	0.035	0.035

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: William

Vehicle Inspector/Inspecting Organisation No KDB

SRT Compliance Certificate no:

Name: Kyle Bosselmann

Date: 26/6/2023

S1356