Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

| GERRIT VISAGIE | 8 1115 | cting o | i gai ii sa | tion's n | ame (| PRIN | I IN C | APS) | | | | IE | U | (| G۷ | ′ | |
|--|--|-------------------------------|-------------|-----------------------|-------------------------|--------------|-------------------|----------------------|--------------------|-------------|----------|------|-------|----------|-----------------|-------|-------|
| Plate number (optional) | 7 | | is numb | | 0 (|) | 1 | 3 | Р | 2 | 0 | 12 | 2 | 3 | 3 | 1 | 4 |
| Make DOMETT | Co | mpone | nt being | certifi | ed: | | 1 | J Chass | is . | | J_ | 1 | | | Load | d and | horag |
| Model (optiona 2023 E2001 PH | The second second | Log b | olsters | | | |]- | Towin | g con | inecti | on | | | | Brak | œs | |
| Certification category | X | SRT | | | | | JF | PSV s | tabili | ty | | | | | PSV | rollo | ver |
| HVS2 Description of work | | Swep | t path | | | | JF | PBS | | | | | | | | | |
| CERTIFY SRT - 5 AXLE FU | JLL . | TRA | ILEF | 3 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | |
| Code/standard/rule certified to NZTA RULE 41001:2016 | | 1 | | Com | npone (1 = | nt l | oad 1.3 | rating 0m | g(s) / Y | 1 = | : 35 | 5t | | | | | |
| General drawing number(s) | | | | / | /2 = | | | | | | | | | | | | |
| Ocheral drawing hamber(5) | | | | | \cap | | T | | | 11/11 | | ND | N // | DE | - 1 | CIT | V |
| | | | | L | OA | עו | T' | YPE | Ξ: U | ואנ | FÜ | R | RM | DE | EN: | SIT | Υ |
| Supporting documents SRT COMPLIANCE CERT # S | S13 | 57 | | L | .OA | עט | T | YPE | =: L | JNI | FO | PR | RM | DE | EN: | SIT | Υ |
| | S13 | 57 | | | .OA | (D | Τ` | YPE | =: U | JNI | FO | PR | RM | DE | EN | SIT | Υ |
| Supporting documents SRT COMPLIANCE CERT # S | S13 | 57 | or | | OA | | | | | | | | SIM . | DE | EN: | SIT | Y |
| Supporting documents SRT COMPLIANCE CERT # S Special conditions (outlined) AS ABOVE | S13 | 57 | or | Hubo | | eter | r rea | ding | (which | ever co | mes fir. | rst) | Z. J. | DE | EN: | SIT | Y |
| Supporting documents SRT COMPLIANCE CERT # S Special conditions (outional) AS ABOVE Certification expiry date (if applicable) I the undersigned, declare that I am the heavy vehicle inspector identified and I hold a current valid appoint certify that the above mentioned vehicle component's manufacture and installation, and this certification coin all respects with the Land Transport Rule: Vehicle S | e speci tment. 's desig omplie Standa | alist ! gn, s | or | Hubb Desi Inspi | odom gner's | eter i ID | r rea | ding | (which | ever coo | mes fir. | rst) | | ID | | SIT | Y |
| Supporting documents SRT COMPLIANCE CERT # S Special conditions (outional) AS ABOVE Certification expiry date (if applicable) Declaration I the undersigned, declare that I am the heavy vehicle inspector identified and I hold a current valid appoint certify that the above mentioned vehicle component's manufacture and installation, and this certification co in all respects with the Land Transport Rule: Vehicle S Compliance 2002 and my appointment. To the best of knowledge the information contained in the certificate. | e speci tment. 's desig omplie Standa of my | alist I gn, s rds | or | Hubo Desi Inspe | odom gner's ector | eter sign | r rea | ding fferent (PRINT) | (which | spector PS) | mes fir. | rst) | | | | | Y |
| Supporting documents SRT COMPLIANCE CERT # S Special conditions (outional) AS ABOVE Certification expiry date (if applicable) Declaration I the undersigned, declare that I am the heavy vehicle inspector identified and I hold a current valid appoint certify that the above mentioned vehicle component's manufacture and installation, and this certification coin all respects with the Land Transport Rule: Vehicle S Compliance 2002 and my appointment. To the best of | e speci tment. 's desig omplie Standa of my | alist I gn, s rds | or | Hubo Desi Inspe | odom gner's | eter sign | r rea | ding fferent (PRINT) | (which | spector PS) | mes fir. | er | | G | num Y | nber | J |

All fields are mandatory unless otherwise stated.

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Fitchett Linehaul

Address:

SRT Compliance Certificate no:

S1357

Vehicle Identification No.(VIN):

7A9E20013P2023314

Vehicle chassis No:

2314

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

3

Deck length of vehicle:

10.23 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Gerrit Visagie of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.35g

This vehicle meets or exceeds the minimum SRT target of 0.35g.

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 35 tonnes; Y2 = 35 tonnes / X2 = 4.3 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

| Axle | Tyre Size: | Tyre Configuration: | | |
|------|------------|---------------------|--|--|
| 1 | 19.5 | Dual | | |
| 2 | 19.5 | Dual | | |
| 3 | 19.5 | Dual | | |
| 4 | 19.5 | Dual | | |
| 5 | 19.5 | Dual | | |

Body Style is Standard

Mass and Suspension Data:

| Inputs | Front | Rear |
|-----------------------------------|-------------------|-------------------|
| Gross mass (kg): | 16000 | 19000 |
| Payload mass (kg): | 12620 | 15000 |
| Tare mass (kg): | 3380 | 4000 |
| Average load bed height (m): | 1.0 | 075 |
| Average load height (m): | 4 | .3 |
| Suspension type: | User Defined | User Defined |
| Suspension track width (m): | .98 | .98 |
| Lash (mm): | 104 | 104 |
| Suspension brand/model: | ROR CS9 Low Mount | ROR CS9 Low Mount |
| Roll stiffness/axle (Nm/radian): | 2197000 | 2197000 |
| Spring stiffness/spring (N/m): | 128000 | 128000 |
| Roll centre height from axle (m): | 0.035 | 0.035 |

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed:

Vehicle Inspector/Inspecting Organisation No GV

SRT Compliance Certificate no:

Name: Gerrit Visagie

Date: 27/6/2023

S1357