

Heavy vehicle specialist certificate

Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist inspector's or manufacturing inspecting organisation's name (PRINT IN CAPS) KYLE BOSSELMANN	inspecting organisation's name (Pf	ō	KDB
Plate number (optional)	VIN/chassis number 7 A 9 C 2 0 0	3 3 P 2 0 2 3	2 5 6
Make DOMETT	Component being certified:	Chassis	Load anchorage
Model Coptions 2023 C2003 PH	Log bolsters	Towing connection	Brakes
Certification category HVS2	Swept path	PSV stability PBS	PSV rollover
Description of work CERTIFY SRT - 3 AXLE SEMI TRAILER	MITRAILER		
Code/standard/rule certified to NZTA RULE 41001:2016	Componen X1 = Y2 =	Component load rating(s) X1 = 4.30 m / Y1 = 17t Y2 = 19t / X2 = 4.09 m	
General drawing number(s)	LOA	Ž	DENSITY
Supporting documents SRT COMPLIANCE CERT # S1362B INCLUDES IMPOSED TARE FROM REAR UNIT	S1362B FROM REAR UNIT		
Special conditions (FRONT UNIT ONLY) X1=4.3m / Y1=15t ; Y2=19t / X2=3.89m) X1=4.3m / Y1=15t ;	; Y2=19t / X2=3.89m	
Certification expiry date (if applicable)	or Hubodome	Hubodometer reading (whichever comes first)	
Declaration	Designer's	Designer's ID (if different from inspector below)	
I the undersigned, declare that I am the heavy vehicle specialist inspector identified and I hold a current valid appointment. I certify that the above mentioned vehicle component's design,	s specialist Inspector's signature ment. I Alabama s design,	signature 9va	
manufacture and installation, and this certification compiles in all respects with the Land Transport Rule: Vehicle Standards Compliance 2002 and my appointment. To the best of my	V	Inspector's name (PRINT IN CAPS) KYLE BOSSELMANN K	ID number K D B
knowledge the information contained in the certificate is true and correct.		Date 21-07-2023 Number 8 5 6 1	6186
CoF vehicle inspector ID (if applicable)	CoF vehicle inspector signature (if applicable)	applicable) Date	

LT400

All fields are mandatory unless otherwise stated.

Static Roll Threshold Compliance Certificate

Name of vehicle owner: Main Road Training

SRT Compliance Certificate no: S1362b

Vehicle Identification No.(VIN): 7A9C20033P2023256

Vehicle chassis No: 2256

Current vehicle registration:

Type of vehicle: Semi-Trailer

No of axles in front set: 0 No of axles in rear set:

w

Deck length of vehicle: 8.17 metres

Maximum height of load or vehicle body: 4.3 metres

Front suspension type:

I, Kyle Bosselmann of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that Rear suspension type: **User Defined**

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type: Uniform density Description: Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 19 tonnes, the SRT is 0.34g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

(a) At maximum load height of 4.3 metres, the maximum allowable gross mass is 17.2 tonnes

or (b) At maximum gross mass of 19 tonnes, the maximum allowable load height is 4.09 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

			_
17	18	19	Gross Mass (tonnes)
4.3	4.19	4.09	Load Height (m)

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 17 tonnes; Y2 =19 tonnes / X2 = 4.09 metres

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

3	2		Axle Tyre Size: Ty
19.5	19.5	19.5	Tyre Size:
Dual	Dual	Dual	Tyre Configuration:

Body Style is Standard

Mass and Suspension Data:

Inputs	Rear
Gross mass (kg):	19000
Payload mass (kg):	14040
Tare mass (kg):	4960
Average load bed height (m):	1.41
Average load height (m):	4.3
Suspension type:	User Defined
Suspension track width (m):	.94
Lash (mm):	90
Suspension brand/model:	SAF IU25/2000 RZ
Roll stiffness/axle (Nm/radian):	1200000
Spring stiffness/spring (N/m):	470000
Roll centre height from axle (m):	0.05

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: William

Name: Kyle Bosselmann

Vehicle Inspector/Inspecting Organisation No KDB

Date: 21/7/2023

SRT Compliance Certificate no:

S1362b