

Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist inspector's or manufacturin CAMERON HARRIS	ng inspecting organisat	ion's name (Pl	RINT IN CAPS)		ID	CN	Н	
Plate number (optional)	VIN/chassis numb	er 2 0 0	1 1 F	2 0	2	3 2	7 7	
Make DOMETT	Component being	ـ لــ لــ لــ	Chassis			J	ad anchorag	
Model (optil 2023 E2001 PH33	Log bolsters		Towing	connection		Bra	akes	
Certification category HVS2	X SRT		PSV stal	oility		PS	V rollover	
Description of work	Swept path		PBS					
CERTIFY SRT - 5 AXLE FU	JLL TRAILEF	3						
Cada (standard /rula cortified to		Componen	at load rating(-1				
Code/standard/rule certified to NZTA RULE 41001:2016			4.30m /					
General drawing number(s)			35t / X2 D TYPE:			IDEN	ISITY	
Supporting documents SRT COMPLIANCE CERT # 5	04050							
SRI COMPLIANCE CERT # 5	\$1359						***************************************	
Special conditions (potional) AS ABOVE								
AOABOVE							-	
Certification expiry date (if applicable)	or	Hubodome	ter reading (w	nichever comes	irst)			
]_]_				
Declaration		Designer's	ID (if different from	n inspector belo	w)			
I the undersigned, declare that I am the heavy vehicl inspector identified and I hold a current valid appoin		Inspector's	signature					
certify that the above mentioned vehicle component manufacture and installation, and this certification of	t's design,	design,						
in all respects with the Land Transport Rule: Vehicle Compliance 2002 and my appointment. To the best	of my	fmy CAMERON HARRIS		ARRIS	C N H			
knowledge the information contained in the certifica and correct.	ate is true	Date 07-07	7-2023	Numb				
					85	5618	3	
CoF vehicle inspector ID (if applicable)	CoF vehicle inspecto	r signature (if	applicable)	Date				

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Booth's Transport

Address:

SRT Compliance Certificate no:

S1359

Vehicle Identification No.(VIN):

7A9E20011P2023277

Vehicle chassis No:

2277

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

3

Deck length of vehicle:

12.2 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Cameron Harris of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.34g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

- (a) At maximum load height of 4.3 metres, the maximum allowable gross mass is 33.2 tonnes.
- or (b) At maximum gross mass of 35 tonnes, the maximum allowable load height is 4.21 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m)	
35	4.21	
34	4.25	
33	4.3	

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading	٦
X1 = 4.3 metres / Y1 = 33 tonnes; $Y2 = 35 tonnes / X2 = 4.21 metres$.	

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:		
1	19.5	Dual		
2	19.5	Dual		
3	19.5	Dual		
4	19.5	Dual		
5	19.5	Dual		

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear	
Gross mass (kg):	16000	19000	
Payload mass (kg):	12840	14980	
Tare mass (kg):	3160	4020	
Average load bed height (m):	1.08		
Average load height (m):	4.3		
Suspension type:	User Defined	User Defined	
Suspension track width (m):	0.994	0.994	
Lash (mm):	0	0	
Suspension brand/model:	Hendrickson Intraxx AANL ZMD	Hendrickson Intraxx AANL ZMD	
Roll stiffness/axle (Nm/radian):	1824776 1824776		
Spring stiffness/spring (N/m):	350000	350000	
Roll centre height from axle (m):	0.051	0.051	

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed:

Name: Cameron Harris

Vehicle Inspector/Inspecting Organisation No CNH

Date: 7/7/2023

SRT Compliance Certificate no:

S1359