



High Productivity Motor Vehicle/ISO Permit Attributes Check Sheet (Version 5a)

NOTES TO HEAVY VEHICLE SPECIALIST CERTIFIERS;

- 1. As a certifier you are confirming vehicle attributes in support of an HPMV permit application. This is not a certification, but confirmation of the certification values and you may use information from what sources you deem acceptable, eg confirmation from the original certifier.
- 2. Refer to MEMO 70a for additional information.
- 3. Please complete one form for each unit that make up the vehicle and mark NA as required.
- 4. Where applicable include the information source such as the LT400 reference, vehicle plate or Landata reference etc.

Description of Vehicle for unit types; Full Trailer																					
Registration Plate Number			88R67			VIN		7	A 9	E	2	3 0	1	8	L	2 0	2	3	0 2 8		
Make	DOME	Π Mo	del	E2301		Sub Model							Year				2021				
Trailer has roll stability activated										YES			NO								
Trailer meets the minimum 0.35g SRT at proposed load height. (Load Height may be limited)										V	√ NO				X1: 4.3m			X2: 35m			
Confirm SRT Mixed Freight/Uniform Density (U/D required for containers) with certificate									1/F		Ü	/D	√		Y1	: 33t		Y:	2: 4. 22t		
SRT Option (ISO) Tick as appropiate					1				2				3		[4					
	If fitted with non EBS brakes the trailer must meet minimum SRT of 0.4g: please provide mass/load height information. This may result in a load height limit being placed as a condition on the higher productivity permit. Note; In most cases Uniform Density is required (Not applicable to ISO Permit)																				
HIGHER N	HIGHER MASS HPMV/ISO Permit: Please complete the design limit (from the certification documents) in kg.																				
Gross Vehicle Mass 32000 kg (LT400)				Gross Combination Mass					N/A												
Maximum braked mass (brake code mass or GVM if to Schedule 5 or Standard Compliant) 32000 kg (LT400)																					
Drawbar Rating					32000 kg (LT400)				Maximum Towed Mass Braked N/A												
Total Load Anchorage to NZS5444 or Log Bolster ratings to the Bolster Attachment Code - LIMITED GROSS RATING 144000 kg (LT400)													0)								
Maximum Front Axle Group Mass (or rating at kingpin)					16000 kg (LT400) Maxi				rimum Rear Axle Group					Mass . 19000 l					kg (LT400)		
Tyre Size	and Rating	Front Axie Set 265/70R19.5 / TOTAL RATING= 20600 kg							Rear Axle Set 265/70R19.5 / TOTAL RATING= 30900)900 kg				
Axles Tyre Configuration (S – Single, SL – Single Large, T – `			Twin	Axle 1	Axle 1 T Axl			e 2 T		Axle 3 T		Axl	e 4	Т	Axl	le 5	Т				
O/LENGTH HPMV: Does the vehicle have; (If the certifier does not inspect the vehicle there must be photographic proof on file) (Does not apply to ISO permit applications)																					
Lights at the rear of the combination of the light emitting diode (LED) type.												Γ	YES								
Repeater side indicator lights placed approx midway along the side of the trailer YES													/ES								
Any modifications which may affect the truck's frontal impact protection system (SRS/FUPS) to be OEM approved.														N/A							
Confirm conspicuity (reflective) tape meeting DOT C-3 outlining the shape of the vehicle from the side or LED side marker lamps spaced approximately 3 m apart along the side of the vehicle as close as practical to the load bed, or for a log truck or trailer on each bolster.														/ES							
Ce	rtifier Name:	G	GEORGE BARKOUR Certifie V.D.: GRB4 Date:										26/03/2021								
Signat	ignature of certifier: Expiry Date:											N/A									

This statement confirms each vehicle attribute at the date of the most recent physical verification of that attribute. It may not reflect the actual state of the attribute at the date the form is signed nor does it confirm the roadworthiness of the vehicle or component. The operator is solely responsible for maintaining the vehicle in a roadworthy state and to ensure that no uncertified modifications are made which may affect the status of these attribute.