

## High Productivity Motor Vehicle/ISO Permit Attributes Check Sheet (Version 5a)

## NOTES TO HEAVY VEHICLE SPECIALIST CERTIFIERS;

- 1. As a certifier you are confirming vehicle attributes in support of an HPMV permit application. This is not a certification, but confirmation of the certification values and you may use information from what sources you deem acceptable, eg confirmation from the original certifier.
- 2. Refer to MEMO 70a for additional information.
- 3. Please complete one form for each unit that make up the vehicle and mark NA as required.
- 4. Where applicable include the information source such as the LT400 reference, vehicle plate or Landata reference etc.

			Desc	ription of \	Vehicle for	unit types;	Sem	i Tra	ler										
Registration Plate Number			92U58			VIN	7 /	4 9	D	5 0	0 2	0	M 2	0	2	3	0 8 3		
Make	DOMETT Model			D5002 Sub Mode			el						Year				2021		
Trailer h	as roll stability activ				10000	YES			~	,	NC	NO							
Trailer m	eets the minimum	ght. (Load	Height may be limited)			Y	ES	/	NO			X1: 4.3m			X2: 4.3m				
Confirm	SRT Mixed Freight	for contain	ers) with ce	h certificate			M/F U/C		1		Y1: 26t			Y2: 26t					
SRT Option (ISO) Tick as appropiate						1			2				3			4			
		s the trailer must mo on the higher prod															heig	ht limit	
HIGHER I	MASS HPMV/ISO Pe	rmit: Please comple	te the design	n limit (fror	n the certifi	ication docu	ımen	nts) ir	kg.										
Gross Vehicle Mass 42000 kg (LT400)				Gross Combination Mass				N/A											
Maximur	m braked mass (bra	ake code mass or G	/M if to Sche	dule 5 or S	Standard Co	mpliant)						42000	) kg	(LT400	)				
Kingpin Mount Rating					42000 kg (LT400)				Maximum Towed Mass Braked							N/A			
Total Lo	ad Anchorage to NZ	ZS5444 or Log Bolst	er ratings to	the Bolste	r Attachmer	nt Code – L	IMIT	ED G	ROSS	RAT	ING			3600	)0 k	g (L7	Г400	)	
Maximum Front Axle Group Mass (or rating at kingpin)					18000 kg (LT400) Max				kimum Rear Axle Group				Mass 26000 kg (LT400)						
Tyre Size	Tyre Size and Rating Front Axle Set				N/A			Rear Axle Set 355/				50R22.5 / TOTAL RATI				TING	NG= 30000 kg		
Axles Tyre Configuration (S – Single, SL – Single Large, T –				Twin	Axle 1	SL	Axle	e 2	SI	L	Axle 3	SL	Ax	le 4	SL	AxI	e 5	N/A	
	TH HPMV: Does the ot apply to ISO per	e vehicle have; (If the mit applications)	ne certifier d	oes not ins	pect the ve	hicle there	must	be p	hoto	grap	hic proc	of on fi	ile)		, manufacture	7,619 55/10 91/00			
Lights at the rear of the combination of the light emitting diode (LED) type.													YES						
Repeater side indicator lights placed approx midway along the side of the trailer													YES						
Any modifications which may affect the truck's frontal impact protection system (SRS/FUPS) to be OEM approved.														N/A					
Confirm approxi	conspicuity (reflec	tive) tape meeting [ ong the side of the	OOT C-3 out vehicle as cl	lining the s ose as prac	shape of the	vehicle fro load bed, c	m th or for	e sid a lo	e or l	LED s	ide mar trailer o	ker la on eacl	mps h bol	spaced Ister.	NORMAL COL		,	/ES	
Ce	Certifier Name: GEORGE ARBOUR Certifier I.D.: GRB4 Date:										AUSTROACE	11/05/2021							
Signature of certifier: Expiry Date:												N/A							

This statement confirms each vehicle attribute at the date of the most recent physical verification of that attribute. It may not reflect the actual state of the attribute at the date the form is signed nor does it confirm the roadworthiness of the vehicle or component. The operator is solely responsible for maintaining the vehicle in a roadworthy state and to ensure that no uncertified modifications are made which may affect the status of these attribute.