

# Heavy vehicle specialist certificate

Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

	r signature (if applicable)  Date	CoF vehicle inspector signature (if applicable)	CoF vehicle inspector ID (if applicable)
J K D B B 856188	Inspector's signature Inspector's mame (PRINT IN CAPS) KYLE BOSSELMANN Date 31-07-2023	ehicle specialist pointment. I nent's design, ion complies nicle Standards best of my tificate is true	Declaration  I the undersigned, declare that I am the heavy vehicle specialist inspector identified and I hold a current valid appointment. I certify that the above mentioned vehicle component's design, manufacture and installation, and this certification complies in all respects with the Land Transport Rule: Vehicle Standards Compliance 2002 and my appointment. To the best of my knowledge the information contained in the certificate is true and correct.
first)	Hubodometer reading (whichever comes first)	Or	Certification expiry date (if applicable)
			Special conditions (partional) AS ABOVE
		# S1364	Supporting documents SRT COMPLIANCE CERT # S1364
33t 3m ORM DENSITY	Component load rating(s) X1 = 4.30m / Y1 = 33t Y2 = 35t / X2 = 4.23m LOAD TYPE: UNIFORM		Code/standard/rule certified to NZTA RULE 41001:2016 General drawing number(s)
		FULL TRAILER	CERTIFY SRT - 5 AXLE FULL TRAILER
PSV rollover	PSV stability PBS	X SRT Swept path	Model (optio 2023 E2001 PH33 Certification category HVS2
2 3 2 7 9 Load anchorage	er 2 0 0 1 5 P 2 0 certified: Chassis	VIN/chassis number 7 A 9 E 2 0  Component being certified:	Plate number (optional)  Make DOMETT
KDB	ion's name (PRINT IN CAPS)	turing inspecting organisat	Heavy vehicle specialist inspector's or manufacturing inspecting organisation's name (PRINT IN CAPS)  KYLE BOSSELMANN

LT400

# Static Roll Threshold Compliance Certificate

Name of vehicle owner:

**Booth's Transport** 

SRT Compliance Certificate no:

S1364

Vehicle Identification No.(VIN):

7A9E20015P2023279

Vehicle chassis No:

2279

Current vehicle registration:

**Full-Trailer** 

Type of vehicle:

w

No of axles in front set:

2

No of axles in rear set:

Deck length of vehicle:

4.3 metres

12.19 metres

Front suspension type:

Maximum height of load or vehicle body:

**User Defined** 

Rear suspension type:

**User Defined** 

I, Kyle Bosselmann of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

Using standard load type: at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows: Uniform density

Description: Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.34g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

(a) At maximum load height of 4.3 metres, the maximum allowable gross mass is 33.5 tonnes

or (b) At maximum gross mass of 35 tonnes, the maximum allowable load height is 4.23 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

33	34	35	<b>Gross Mass (tonnes)</b>
4.3	4.27	4.23	Load Height (m)

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 33 tonnes; Y2 = 35 tonnes / X2 = 4.23 metres

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

## Summary Input Data used for calculation.

#### Tyre Data:

5	4	3	2		Axle
19.5	19.5	19.5	19.5	19.5	Tyre Size:
Dual	Dual	Dual	Dual	Dual	Tyre Configuration:

### **Body Style is Standard**

## Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	12800	14960
Tare mass (kg):	3200	4040
Average load bed height (m):	1.07	07
Average load height (m):	4.3	3
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.994	0.944
Lash (mm):	0	0
Suspension brand/model:	Hendrickson Intraxx AANL ZMD	Hendrickson Intraxx AANL ZMD
Roll stiffness/axle (Nm/radian):	1824776	1824776
Spring stiffness/spring (N/m):	350000	350000
Roll centre height from axle (m):	0.051	0.051

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: Walks

Name: Kyle Bosselmann

Vehicle Inspector/Inspecting Organisation No KDB

SRT Compliance Certificate no:

Date: 31/7/2023 S1364