

Heavy vehicle specialist certificate

Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist inspector's or manufacturing inspecting organisation's name (PRINT IN CAPS) KYLE BOSSELMANN	nspecting organisation's na	ame (PRINT IN CAPS) ID	KDB
Plate number (optional)	VIN/chassis number 7 A 9 E 2 (0 0 1 0 P 2 0 2	3 3 5
Make DOMETT	Component being certified:	ed: Chassis	Load anchorage
Model Coptions 2023 E2001 PH		Towing connection	Brakes
Certification category HVS2	SRT Swept path	PSV stability	PSV rollover
CERTIFY SRT - 5 AXLE FULL	LTRAILER		
NZTA RULE 41001:2016	- ×	X1 = 4.30 m / Y1 = 35t Y2 = 35t / X2 = 4.30 m	
General drawing number(s)		LOAD TYPE: UNIFORM	M DENSITY
Supporting documents SRT COMPLIANCE CERT # S1374	1374		
Special conditions (autional)			
Certification expiry date (if applicable)	OF Hubo	Hubodometer reading (whichever comes first)	
Declaration	Desig	Designer's ID (if different from inspector below)	
I the undersigned, declare that I am the heavy vehicle specialist inspector identified and I hold a current valid appointment. I certify that the above mentioned vehicle component's design,	list 1,	Inspector's signature	
in all respects with the Land Transport Rule: Vehicle Standards Compliance 2002 and my appointment. To the best of my		Inspector's name (PRINT IN CAPS) KYLE BOSSELMANN	ID number
and correct.		Date 25-08-2023 Number 8	856198
CoF vehicle inspector ID (if applicable)	CoF vehicle inspector signature (if applicable)	.ure (if applicable) Date	

LT400

All fields are mandatory unless otherwise stated.

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Fitchett Linehaul

SRT Compliance Certificate no:

S1374

Vehicle Identification No.(VIN):

7A9E20010P2023335

Vehicle chassis No:

Current vehicle registration:

2335

Type of vehicle:

Full-Trailer

No of axles in front set:

12

No of axles in rear set:

Deck length of vehicle:

w

Maximum height of load or vehicle body:

4.3 metres 10.45 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Kyle Bosselmann of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.35g

This vehicle meets or exceeds the minimum SRT target of 0.35g.

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 35 tonnes; Y2 = 35 tonnes / X2 = 4.3 metres

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

4 19.5	3 19.5	2 19.5	1 19.5	Axle Tyre Size:
Dual	J	Dual	Dual	Tyre Configuration:

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	12620	15000
Tare mass (kg):	3380	4000
Average load bed height (m):	1.0	1.075
Average load height (m):	4.3	.3
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.98	0.98
Lash (mm):	104	104
Suspension brand/model:	ROR CS9L - Low Mount	ROR CS9L - Low Mount
Roll stiffness/axle (Nm/radian):	2197000	2197000
Spring stiffness/spring (N/m):	128000	128000
Roll centre height from axle (m):	0.035	0.035

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: Weblook
Vehicle Inspector/Inspecting Organisation No KDB

Name: Kyle Bosselmann

Date: 25/8/2023

SRT Compliance Certificate no:

S1374