# WAKA KOTAHI NZ TRANSPORT AGENCY

## Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist inspector's or manufacturing inspecting organisation's name (PRINT IN CAPS)  GERRIT VISAGIE			ID	GV					
Plate number (optional)	VIN/chassis numl	per   2   0   0	1 3 P	2 0	2	3	2	8	1
Make DOMETT	Component being	g certified:	Chassis				Load	d anch	norage
Model (opti <b>2023 E2001 PH33</b>	Log bolsters		Towing co	nnection			Brak	kes	
Certification category HV\$2	X SRT		PSV stabil	ity			PSV	rollov	/er
CERTIFY SRT - 5 AXLE FU	JLL TRAILEF	₹							- Contraction of the Contraction
Code/standard/rule certified to NZTA RULE 41001:2016  General drawing number(s)  Supporting documents  SRT ComPLIANCE CCRT	# Si376	Y2 = 3	load rating(s) I.30m / \ B5t / X2 = TYPE: I	= 4.21	m	/I DE	ΞNS	SIT	Y ]
Special conditions (optional)  "AS ABOVE									
Certification expiry date (if applicable)	or	Hubodomete	r reading (whic	hever comes f	irst)				
Declaration		Designer's ID	(if different from	inspector belo	w)				1
I the undersigned, declare that I am the heavy vehicinspector identified and I hold a current valid appoin certify that the above mentioned vehicle component manufacture and installation, and this certification in all respects with the Land Transport Rule: Vehicle Compliance 2002 and my appointment. To the best knowledge the information contained in the certific and correct.	ntment. I nt's design, complies e Standards t of my	Inspector's Inspector's GERR Date 31-08-	ame (PRINT IN C	APS) BIE Numb		چ 562	y num		
CoF vehicle inspector ID (if applicable)	CoF vehicle inspecto	or signature (if ap	plicable)	Date					

All fields are mandatory unless otherwise stated.

### **Static Roll Threshold Compliance Certificate**

Name of vehicle owner:

**Booths Transport** 

Address:

SRT Compliance Certificate no:

S1376

Vehicle Identification No.(VIN):

7A9E20013P2023281

Vehicle chassis No:

2281

Current vehicle registration:

Type of vehicle:

**Full-Trailer** 

No of axles in front set:

2

No of axles in rear set:

3

Deck length of vehicle:

11.330 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

User Defined

Rear suspension type:

**User Defined** 

### I, Gerrit Visagie of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

33

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.34g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

- (a) At maximum load height of 4.3 metres, the maximum allowable gross mass is 33.2 tonnes.
- or (b) At maximum gross mass of 35 tonnes, the maximum allowable load height is 4.21 metres. The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

 Gross Mass (tonnes)
 Load Height (m)

 35
 4.21

 34
 4.25

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading	
X1 = 4.3  metres / Y1 = 33  tonnes; $Y2 = 35  tonnes / X2 = 4.21  metres$ .	

4.3

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

#### Summary Input Data used for calculation.

#### Tyre Data:

Axle	Tyre Size:	Tyre Configuration:		
1	19.5	Dual		
2	19.5	Dual		
3	19.5	Dual		
4	19.5	Dual		
5	19.5	Dual		

#### **Body Style is Standard**

#### Mass and Suspension Data:

Inputs	Front	Rear	
Gross mass (kg):	16000	19000	
Payload mass (kg):	12780	15180	
Tare mass (kg):	3220	3820	
Average load bed height (m):	1.070		
Average load height (m):	4.3		
Suspension type:	User Defined	User Defined	
Suspension track width (m):	.994	.994	
Lash (mm):	0	0	
Suspension brand/model:	Hendickson Intraax AANL ZMD	Hendickson Intraax AAN ZMD	
Roll stiffness/axle (Nm/radian):	1824776	1824776	
Spring stiffness/spring (N/m):	350000	350000	
Roll centre height from axle (m):	0.051	0.051	

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Vehicle Inspector/Inspecting Organisation No GV

SRT Compliance Certificate no:

Name: Gerrit Visagie

Date: 31/8/2023

S1376