

Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Plate number (optional)	MINI	/alanaa	- i t-								_					NEMES IS
Trace number (optional)			sis numb	er 2	0	0	3	5	P	2	0	2	3	3	3 3	8 8
Make DOMETT	Cor	mpone	ent being	certif	ied:			Chas	sis			-	-	Lo	ad ar	chorage
Model (optional 2023 C2003 PH			bolsters				Towing connection			on			Brakes			
Certification category	HVS2 Swep		PSV stab			stabilit	ability				PSV rollover		over			
HVS2			wept path PBS													
CERTIFY SRT - 3 AXLE SE	MI	TRA	AILEF	₹												
Code/standard/rule certified to NZTA RULE 41001:2016					npone X1 = Y2 =											
General drawing number(s)					1/-	-										
General drawing number(s) Supporting documents SRT COMPLIANCE CERT # S	S138	37			LOA							1000	ΓD	EN	ISI	TY
Supporting documents SRT COMPLIANCE CERT # S Special conditions (optional) AS ABOVE	6138	37										1000	ГD	EN	NSI	TY
Supporting documents SRT COMPLIANCE CERT # S Special conditions (optional) AS ABOVE Certification expiry date (if applicable)	S138	37	or			(D	T	YP	E: U	JNII	FO	RM	ID	EN	NSI	TY
Supporting documents SRT COMPLIANCE CERT # S Special conditions (optional) AS ABOVE	S138	37	or	Hubo	LOA	(D	reac	YP	E: U	JNII	FO	RM	ID	EN	NSI	TY

Te Kāwanatanga o Aotearoa New Zealand Government

All fields are mandatory unless otherwise stated.

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Absolute Aotearoa

Address:

SRT Compliance Certificate no:

S1387

Vehicle Identification No.(VIN):

7A9C20035P2023338

Vehicle chassis No:

2338

Current vehicle registration:

Type of vehicle:

Semi-Trailer

No of axles in front set:

0

No of axles in rear set:

3

Deck length of vehicle:

8.23 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

none

Rear suspension type:

User Defined

I, Gerrit Visagie of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 19 tonnes, the SRT is 0.35g

This vehicle meets or exceeds the minimum SRT target of 0.35g.

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 19 tonnes; Y2 = 19 tonnes / X2 = 4.3 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:		
1	19.5	Dual		
2	19.5	Dual		
3	19.5	Dual		

Body Style is Standard

Mass and Suspension Data:

Inputs	Rear		
Gross mass (kg):	19000		
Payload mass (kg):	14320		
Tare mass (kg):	4680		
Average load bed height (m):	1.22		
Average load height (m):	4.3		
Suspension type:	User Defined		
Suspension track width (m):	.94		
Lash (mm):	90		
Suspension brand/model:	SAF IU25/2000RZ		
Roll stiffness/axle (Nm/radian):	1200000		
Spring stiffness/spring (N/m):	470000		
Roll centre height from axle (m):	0.05		

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Cianad.

Vehicle Inspector/Inspecting Organisation No GV

SRT Compliance Certificate no:

Name: Gerrit Visagie

Date: 4/10/2023

S1387