

Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

	KDB	
Plate number (optional)	VIN/chassis number 7 A 9 E 2 0 0 1 9 P 2 0 2 3 2 7	10
Make DOMETT	Component being certified: Chassis Load an	chorag
Model (optional) 2023 E2001 PH	Log bolsters Towing connection Brakes	
Certification category HVS2	X SRT PSV stability PSV roll Swept path PBS	over
Description of work CERTIFY SRT - 5 AXLE FUL		
Code/standard/rule certified to NZTA RULE 41001:2016	Component load rating(s) $X1 = 4.30 \text{m / Y1} = 35 \text{t}$	
	Y2 = 35t / X2 = 4.30m	
General drawing number(s)	LOAD TYPE: UNIFORM DENSI	TY
SRT COMPLIANCE CERT # S	1447	
SKI COMPLIANCE CERT # 5	1417	
	Or Hubodometer reading (whichever comes first)	
Special conditions (optional) AS ABOVE		
Special conditions (optional) AS ABOVE Certification expiry date (if applicable) Declaration I the undersigned, declare that I am the heavy vehicle spinspector identified and I hold a current valid appointme certify that the above mentioned vehicle component's december 1.	Designer's ID (if different from inspector below) ecialist nt. I esign,	
Special conditions (optional) AS ABOVE Certification expiry date (if applicable) Declaration I the undersigned, declare that I am the heavy vehicle spinspector identified and I hold a current valid appointme certify that the above mentioned vehicle component's domanufacture and installation, and this certification compinall respects with the Land Transport Rule: Vehicle Star Compliance 2002 and my appointment. To the best of means a special conditions are supposed to the conditions are supposed to the conditions and the certification compinally respects to the conditions are supposed to the conditions are supp	Designer's ID (if different from inspector below) ecialist nt. I lesign, olies and ards hy line pector's name (PRINT IN CAPS) KYLE BOSSELMANN Hubodometer reading (whichever comes first) Designer's ID (if different from inspector below) Inspector's signature Inspector's name (PRINT IN CAPS) KYLE BOSSELMANN ID number	
Special conditions (optional) AS ABOVE Certification expiry date (if applicable)	Designer's ID (if different from inspector below) ecialist nt. I lesign, olies and ards hy line pector's name (PRINT IN CAPS) KYLE BOSSELMANN Hubodometer reading (whichever comes first) Designer's ID (if different from inspector below) Inspector's signature Inspector's name (PRINT IN CAPS) KYLE BOSSELMANN ID number	

Te Kāwanatanga o Aotearoa New Zealand Government

All fields are mandatory unless otherwise stated.

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Mainfreight

Address:

SRT Compliance Certificate no:

S1417

Vehicle Identification No.(VIN):

7A9E20019P2023270

Vehicle chassis No:

2270

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

3

Deck length of vehicle:

11.4 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Kyle Bosselmann of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.35g

This vehicle meets or exceeds the minimum SRT target of 0.35g.

Results of SRT test to be displayed on Certificate of Loading

X1 = 4.3 metres / Y1 = 35 tonnes; Y2 = 35 tonnes / X2 = 4.3 metres.

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration:
1	19.5	Dual
2	19.5	Dual
3	19.5	Dual
4	19.5	Dual
5	19.5	Dual

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear
Gross mass (kg):	16000	19000
Payload mass (kg):	12720	14870
Tare mass (kg):	3280	4130
Average load bed height (m):	1.075	
Average load height (m):	4.3	
Suspension type:	User Defined	User Defined
Suspension track width (m):	0.98	0.98
Lash (mm):	104	104
Suspension brand/model:	ROR CS9 Low Mount	ROR CS9 Low Mount
Roll stiffness/axle (Nm/radian):	2197000	2197000
Spring stiffness/spring (N/m):	128000	128000
Roll centre height from axle (m):	0.035	0.035

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: Whiteham

Vehicle Inspector/Inspecting Organisation No KDB

SRT Compliance Certificate no:

Name: Kyle Bosselmann

Date: 30/1/2024

S1417