

Heavy vehicle specialist certificate Must be presented to a CoF (heavy) inspecting organisation if not entered into LANDATA

Heavy vehicle specialist inspector's or manufacturing in KYLE BOSSELMANN	iopeeting or a	Samsaci	10113116	THE TIME	VI IIV CAI S	,			ID	k	(DB	
Plate number (optional)	VIN/chassis 7 A S		-	0 0	1	5 R	2	0	2	3	4 0	1
Make DOMETT	Componen	t being	certifie	d:	Ch	assis				ī	Load an	chorag
Model (option 2024 E2001 PH33	Log bol	Isters			To	wing cor	nectio	on			Brakes	
Certification category	XSRT				PS	V stabili	ty				PSV roll	over
HVS2	Swept	path			РВ	S						
Description of work CERTIFY SRT - 5 AXLE FUL	L TRA	ILEF	2					*******			******************	
Code/standard/rule certified to			Com	nonant	load ra	ting(c)						
NZTA RULE 41001:2016						ting(s) m/\						
General drawing number(s)						X2 =				DE	ENSI	TY
Supporting documents												
SRT COMPLIANCE CERT # S	1427			-				***********				Alexandron (
Special conditions (optional) AS ABOVE												
AS ABOVE		***************************************		·		·	*********	********				
Certification expiry date (if applicable)		or	Hubo	domete	r readi	ng (which	ever com	es first)			
·			J		<u> </u>	IJ.	J.	J.				
Declaration			Desig	ner's ID	(if differ	ent from in:	spector l	oelow)				
I the undersigned, declare that I am the heavy vehicle sp			Incha	ctor's si	anatur							
inspector identified and I hold a current valid appointme certify that the above mentioned vehicle component's description of the state	esign,		Hisper Hisper	Bester	gnatur							
manufacture and installation, and this certification con in all respects with the Land Transport Rule: Vehicle Sta Compliance 2002 and my appointment. To the best of knowledge the information contained in the certificate	ndards ny		Inspe	ctor's n	BOS	SSEL	PS) MAI	NN		K	number D B	
and correct.	true		Date 2	7-02	2-202	24	Nu	mber		4.5	- 0 0	Site and the
					11.11			A	L	115	544	
CoF vehicle inspector ID (if applicable)	F vehicle ins	spector	signatı	ure (if ap	plicable)		Date					

Te Kāwanatanga o Aotearoa New Zealand Government

All fields are mandatory unless otherwise stated.

Static Roll Threshold Compliance Certificate

Name of vehicle owner:

Booth's Transport

Address:

SRT Compliance Certificate no:

S1427

Vehicle Identification No.(VIN):

7A9E20015R2023401

Vehicle chassis No:

2401

Current vehicle registration:

Type of vehicle:

Full-Trailer

No of axles in front set:

2

No of axles in rear set:

3

Deck length of vehicle:

12.19 metres

Maximum height of load or vehicle body:

4.3 metres

Front suspension type:

User Defined

Rear suspension type:

User Defined

I, Kyle Bosselmann of Domett Truck and Trailer, PO Box 9458, Greerton, Tauranga 3142 certify that

at the time of inspection this vehicle achieved a rating on a Static Roll Threshold test as follows:

Using standard load type:

Uniform density

Description:

Assumes load mass is centred midway vertically between

load bed and load height.

At a max. load height of 4.3 metres and a max. allowable gross mass of 35 tonnes, the SRT is 0.34g

This vehicle fails to meet the minimum SRT target of 0.35g. It will meet the standard if:

- (a) At maximum load height of 4.3 metres, the maximum allowable gross mass is 33.5 tonnes.
- or (b) At maximum gross mass of 35 tonnes, the maximum allowable load height is 4.22 metres.

The vehicle achieves the minimum SRT of 0.35g at the following weight and height combinations:

Gross Mass (tonnes)	Load Height (m) 4.22		
35			
34	4.26		
33	4.3		

Note: Calculated load heights greater than the legal limit of 4.30m have been set to 4.30m

Results of SRT test to be displayed on Certificate of Loading	
X1 = 4.3 metres / Y1 = 33 tonnes; $Y2 = 35 tonnes / X2 = 4.22 metres$.	

The type of test carried out to establish this rating was: NZTA SRT Calculator Version 2.12c

Summary Input Data used for calculation.

Tyre Data:

Axle	Tyre Size:	Tyre Configuration Dual		
1	19.5			
2	19.5	Dual		
3	19.5	Dual		
4	19.5	Dual		
5	19.5	Dual		

Body Style is Standard

Mass and Suspension Data:

Inputs	Front	Rear			
Gross mass (kg):	16000	19000			
Payload mass (kg):	12840	14950			
Tare mass (kg):	3160	4050			
Average load bed height (m):	1.07				
Average load height (m):	4.3				
Suspension type:	User Defined	User Defined			
Suspension track width (m):	0.994	0.994			
Lash (mm):	0	0			
Suspension brand/model:	Hendrickson Intraxx AANL ZMD	Hendrickson Intraxx AANL ZMD			
Roll stiffness/axle (Nm/radian):	1824776	1824776			
Spring stiffness/spring (N/m):	350000	350000			
Roll centre height from axle (m):	0.051	0.051			

I certify that I am a vehicle inspector appointed under section 2 of Land Transport Rule: Vehicle Standards Compliance 2002. I certify that this certificate complies in all respects with the applicable requirements in that rule, and that, to the best of my knowledge, the information in this certificate is true and correct

Signed: Whose

Name: Kyle Bosselmann

Vehicle Inspector/Inspecting Organisation No KDB

Date: 27/2/2024

SRT Compliance Certificate no:

S1427